

Supplementary Table 1. Scores for the six EDSRS items for each participant and rating session

Subj	Fourths L				Fourths R				Tones L				Tones R				Scales L				Scales R			
	R1,T1	R2,T1	R1,T2	R2,T2	R1,T1	R2,T1	R1,T2	R2,T2	R1,T1	R2,T2	R2,T1	R1,T2	R1,T1	R2,T1	R1,T2	R2,T2	R1,T1	R2,T1	R1,T2	R2,T2	R1,T1	R2,T1	R1,T2	R2,T2
P1	2	3	2	3	2	3	2	3	2	2	2	2	2	2	2	2	2	3	2	3	2	2	3	3
P2	0	0	0	1	0	0	0	0	1	1	0	0	1	0	0	1	0	0	0	1	0	0	0	0
P3	3	4	3	4	3	4	3	4	3	4	4	3	3	4	3	4	3	4	3	4	3	3	4	4
P4	1	1	1	1	0	1	1	1	1	1	1	0	0	1	0	1	1	1	1	2	1	1	2	2
P5	2	2	2	3	3	3	2	3	3	2	3	2	3	3	2	2	2	3	2	2	3	2	3	2
P6	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	3	4	3	4	4	4	4	4
P7	2	3	1	3	2	3	1	3	3	2	3	2	3	2	2	3	2	3	2	3	2	2	3	3
P8	1	1	0	1	1	1	1	1	1	0	0	0	1	1	0	0	1	1	0	1	1	1	1	1
P9	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
P10	3	4	3	4	4	4	3	4	4	3	4	3	3	3	3	4	3	4	3	4	3	3	4	4
P11	3	3	3	3	4	2	3	2	3	1	3	2	3	2	2	2	4	4	3	4	4	3	3	4
P12	4	4	4	4	4	4	4	4	3	2	2	3	4	2	3	2	3	4	3	4	4	4	4	4
P13	3	4	3	4	3	4	3	4	3	3	3	3	3	3	3	3	2	3	3	3	2	3	3	3
P14	3	4	2	4	3	4	3	4	3	2	4	2	3	3	2	2	3	4	3	4	3	3	4	4
P15	3	4	2	4	3	4	2	3	3	2	3	1	2	3	1	2	3	4	2	2	2	1	3	3
P16	2	1	0	0	2	0	0	2	2	0	2	0	2	1	0	0	1	2	1	0	3	1	3	0
P17	2	4	3	4	3	4	3	4	3	4	4	3	3	4	3	4	3	4	2	4	3	3	4	4
Median	2	3	2	3	3	3	2	3	3	2	3	2	3	2	2	2	2	3	2	3	3	3	2	3
IQR	2-3	1-4	1-3	1-4	2-4	1-4	1-3	2-4	2-3	1-3	2-4	0-3	2-3	1-3	0-3	1-4	1-3	2-4	1-3	2-4	2-3	3-4	1-3	2-4
α_k	0.72		0.64		0.72		0.70		0.85		0.90		0.71		0.88		0.69		0.69		0.70		0.75	

The rating result for each score item is given for the ratings at each time point (T1, T2) and each rater (R1, R2) in each participant. Additionally, the results of the secondary exploratory evaluation of item-related inter-rater reliability by Krippendorff's, α is presented. EDSRS, Embouchure Dystonia Severity Rating Scale; L, left side; R, right side; IQR, interquartile range; α_k , Krippendorff's α , Subj, subject/participant.